



# Wineries and Breweries

## RZL-Series Positive Displacement Pumps



**Applications:**

- Must and Lees
- Whole berries
- Transfer
- Bottling

**Material:**

- 316L


**Features:**

- Front loading seals
- Various rotor options
- 1"- 4" models stainless steel gear box standard
- 3A & EHEDG
- 100% CIPable

**Sizes:**

- 1" to 10"

## BC/BP- Series Centrifugal Pumps



**Applications:**

- Pump over
- Transfer
- Tank cleaning

**Materials:**

- 316L
- Buna, EPDM, Silicone and FKM elastomers

**Features:**

- Impeller retainer or threaded impeller nut options
- Stamped volute
- Wet ends, motor pump units and carts
- 3A & CIPable

**Sizes:**

- Inlet 1½" to 6"
- Outlet 1½" to 4"

## B5101-Series Butterfly Valves



**Applications:**

- Isolation
- Control

**Materials:**

- 316L
- Seats-silicone, EPDM and FKM

**Features:**

- Multiple handle options
- Various actuator and control packages

**Sizes:**

- ½" to 8"

## Strainers



**Applications:**

- Filtering
- Removing hops from wort or beer

**Material:**

- 316L

**Features:**

- Inline
- Side entry and side outlet
- Dual strainer assemblies using ball or butterfly valves

**Sizes:**

- 1" to 3"

# Wineries and Breweries

## TV-Series Tank Vent Valves




**Application:**

- Secondary tank protection during filling or draining of tanks

**Features:**

- PVC with stainless dome
- 2" and 3" clamp connections on same valve
- 304 stainless dome
- Stainless steel valve
- Stainless steel screen
- 2", 3" and 4"

## B54-Series Sight Glasses



B54BMP



B54BMPS

**Application:**

- View products and fluids in process and hose lines

**Material:**

- 316L

**Features:**

- B54BMP
  - Repair kits and replacement parts available
  - 1" to 6"
- B54BMPS
  - 2 piece design
  - 1", 1½", 2", 3" and 4"

## Topping Gun, Gauges, Sample Valves and Spray Balls




Sanitary Pressure Gauges



Spray Balls



Sample Valve



Topping Gun

## RZW120 Wine Pump



**Applications:**

- Must and lees
- Transfer
- Bottling

**Materials:**

- 316L
- EPDM rubber heli-lobe

**Features:**

- Maximum flow: 66 GPM
- Maximum working pressure: 87 PSI
- Mounted on a cart with flat free wheels or casters
- Nord adjustable speed gearmotor

**Size:**

- 2" clamp

Dixon, founded in 1916, is a premier manufacturer and supplier of hose couplings, valves, dry-disconnects, swivels, and other fluid transfer and control products. The company's global reach includes a wide range of products for numerous industries including petroleum exploration, refining, transportation, chemical processing, food & beverage, steel, fire protection, construction, mining and manufacturing. Dixon's strategic objective is to create solutions that make products safer, leak-free, longer lasting, and always available.

**dixonvalve.com • Customer Service: 800.789.1718**

### **Dixon Sanitary**

N25 W23040 Paul Road, Pewaukee, WI 53072

Fax: 800.789.4046

sanitarysales@dixonvalve.com

For complete catalog and literature downloads go to [dixonvalve.com](http://dixonvalve.com)



YouTube™



Dixon  
Customer Service